ELSEVIER

Neuroscience Letters 341 (2003) 262–266

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 341

Akagi, T., Haruta, M., Akita, J., Nishida, A., Honda, Y., Takahashi, M., Different characteristics of rat retinal progenitor cells from different culture periods, 213
Akaike, A., see Katsuki, H., 123
Akil, H., see Gordon, N.S., 17
Akita, J., see Akagi, T., 213
Altura, B.M., Gebrewold, A., Zhang, A., Altura, B.T., Low extracellular magnesium ions induce lipid peroxidation and activation of nuclear factor-kappa B in canine cerebral vascular smooth muscle: possible relation to traumatic brain injury and strokes, 189
Altura, B.T., see Altura, B.M., 189
Anderton, B.H., see Ljungberg, M.C., 69
Antkowiak, B., see Heck, D., 79
Antunes, E., see Medeiros, M.V., 103
Appelt, H.R., see Rosa, R.M., 217
Araie, M., see Uchida, S., 1
Aruin, A., Mayka, M., Shiratori, T., Could a motor action that has no direct relation to expected perturbation be associated with anticipatory postural adjustments in humans?, 21
Asuni, A., see Ljungberg, M.C., 69
Averna, M.R., see Monastero, R., 229
Awata, S., see Shen, H.-w., 170

Büttner, T., see Müller, T., 201
Baker, D., see Pryce, G., 164
Balaban, P.M., see Bravarenko, N.I., 237
Bao, X., see Chen, Y., 29
Barbagallo, C.M., see Monastero, R., 229
Bari, F., see Domoki, F., 127
Barth, S.W., Riediger, T., Lutz, T.A., Rechkemmer, G., Differential effects of amylin and salmon calcitonin on neuropeptide gene expression in the lateral hypothalamic area and the arcuate nucleus of the rat, 131
Baudonnière, P.-M., see Lebib, R., 185
Bauhofer, A., see Pawlak, C.R., 205
Berkley, K.J., see Curtis, J.T., 115
Bertrand, P., see Ljungberg, M.C., 69
Besshoh, S., see Takagi, Y., 33
Betarbet, R., see Sherer, T.B., 87
Borst, A., see Heck, D., 79
Braga, A.L., see Rosa, R.M., 217
Branco, L.G.S., see Steiner, A.A., 193
Bravarenko, N.I., Korshunova, T.A., Malyshev, A.Y., Balaban, P.M., Synaptic contact between mechanosensory neuron and withdrawal interneuron in terrestrial snail is mediated by L-glutamate-like transmitter, 237
Bricola, A.A.O., see Medeiros, M.V., 103
Brodie, E.E., Whyte, A., Waller, B., Increased motor control of a phantom leg in humans results from the visual feedback of a virtual leg, 167
Bruehl, C., see Diehm, S.M., 147
Buglino, C.M., see Monastero, R., 229
Burke, S., see Gordon, N.S., 17
Burn, D., see Cairns, N.J., 177

Cacace, A.T., McFarland, D.J., Quantifying signal-to-noise ratio of mismatch negativity in humans, 251
Cairns, N.J., Perry, R.H., Jaros, E., Burn, D., McKeith, I.G., Lowe, J.S., Holton, J., Rossor, M.N., Skullerud, K., Duyckaerts, C., Cruz-Sanchez, F.F., Lantos, P.L., Patients with a novel neurofilamentopathy: dementia with neurofilament inclusions, 177
Camarda, C., see Monastero, R., 229
Camarda, L.K.C., see Monastero, R., 229
Camarda, R., see Monastero, R., 229
Cefalù, A.B., see Monastero, R., 229
Chang, C.F., see Sarabi, A., 241
Chen, Y., Lu, J., Zhang, Y., Pan, H., Wu, H., Xu, K., Liu, X., Jiang, Y., Bao, X., Zhou, J., Liu, W., Shi, G., Shen, Y., Wu, X., T-type calcium channel gene alpha (1G) is not associated with childhood absence epilepsy in the Chinese Han population, 29
Chetsawang, B., see Chucharoen, P., 259
Chiu, M.J., see Skrandies, W., 45
Christoffersen, G.R.J., Petersen, S., daCosta, N.M., Potentiation of prelimbic field potentials during and seconds after trains of excitations in the rat hippocampo-prefrontal pathway, 143
Chucharoen, P., Chetsawang, B., Srikiatkhachorn, A., Govitrapong, P., Melatonin receptor expression in rat cerebral artery, 259
Ciranna, L., Licata, F., Li Volsi, G., Santangelo, F., Role of $GABA_A$ and $GABA_B$ receptors in GABA-induced inhibition of rat red nucleus neurons, 221
Collins, A.R., see Whalley, L.J., 173
Cruz-Sanchez, F.F., see Cairns, N.J., 177
Curtis, J.T., Berkley, K.J., Wang, Z.X., Neuronal activation in the caudal brainstem associated with mating by voles, 115

Díaz-Ríos, M., see Wu, J.-S., 5
daCosta, N.M., see Christoffersen, G.R.J., 143
Dayanandan, R., see Ljungberg, M.C., 69
de Bode, S., see Lebib, R., 185
De Luca, I.M.S., see Medeiros, M.V., 103
De Nucci, G., see Medeiros, M.V., 103
Deary, I.J., see Whalley, L.J., 173
Deriu, F., see Podda, M.V., 209
Diehm, S.M., Witte, O.W., Bruehl, C., Differential alterations of the inactivation properties of high voltage activated calcium currents in area CA1 and CA3 of the rat following photothrombotic lesion, 147
Domoki, F., Sántha, P., Bari, F., Jancsó, G., Perineural capsaicin treatment attenuates reactive hyperaemia in the rat skin, 127

doi:10.1016/S0304-3940(03)00289-1

ELSEVIER

Neuroscience Letters 341 (2003) 262–266

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 341

Akagi, T., Haruta, M., Akita, J., Nishida, A., Honda, Y., Takahashi, M., Different characteristics of rat retinal progenitor cells from different culture periods, 213
Akaike, A., see Katsuki, H., 123
Akil, H., see Gordon, N.S., 17
Akita, J., see Akagi, T., 213
Altura, B.M., Gebrewold, A., Zhang, A., Altura, B.T., Low extracellular magnesium ions induce lipid peroxidation and activation of nuclear factor-kappa B in canine cerebral vascular smooth muscle: possible relation to traumatic brain injury and strokes, 189
Altura, B.T., see Altura, B.M., 189
Anderton, B.H., see Ljungberg, M.C., 69
Antkowiak, B., see Heck, D., 79
Antunes, E., see Medeiros, M.V., 103
Appelt, H.R., see Rosa, R.M., 217
Araie, M., see Uchida, S., 1
Aruin, A., Mayka, M., Shiratori, T., Could a motor action that has no direct relation to expected perturbation be associated with anticipatory postural adjustments in humans?, 21
Asuni, A., see Ljungberg, M.C., 69
Averna, M.R., see Monastero, R., 229
Awata, S., see Shen, H.-w., 170

Büttner, T., see Müller, T., 201
Baker, D., see Pryce, G., 164
Balaban, P.M., see Bravarenko, N.I., 237
Bao, X., see Chen, Y., 29
Barbagallo, C.M., see Monastero, R., 229
Bari, F., see Domoki, F., 127
Barth, S.W., Riediger, T., Lutz, T.A., Rechkemmer, G., Differential effects of amylin and salmon calcitonin on neuropeptide gene expression in the lateral hypothalamic area and the arcuate nucleus of the rat, 131
Baudonnière, P.-M., see Lebib, R., 185
Bauhofer, A., see Pawlak, C.R., 205
Berkley, K.J., see Curtis, J.T., 115
Bertrand, P., see Ljungberg, M.C., 69
Besshoh, S., see Takagi, Y., 33
Betarbet, R., see Sherer, T.B., 87
Borst, A., see Heck, D., 79
Braga, A.L., see Rosa, R.M., 217
Branco, L.G.S., see Steiner, A.A., 193
Bravarenko, N.I., Korshunova, T.A., Malyshev, A.Y., Balaban, P.M., Synaptic contact between mechanosensory neuron and withdrawal interneuron in terrestrial snail is mediated by L-glutamate-like transmitter, 237
Bricola, A.A.O., see Medeiros, M.V., 103
Brodie, E.E., Whyte, A., Waller, B., Increased motor control of a phantom leg in humans results from the visual feedback of a virtual leg, 167
Bruehl, C., see Diehm, S.M., 147
Buglino, C.M., see Monastero, R., 229
Burke, S., see Gordon, N.S., 17
Burn, D., see Cairns, N.J., 177

Cacace, A.T., McFarland, D.J., Quantifying signal-to-noise ratio of mismatch negativity in humans, 251
Cairns, N.J., Perry, R.H., Jaros, E., Burn, D., McKeith, I.G., Lowe, J.S., Holton, J., Rossor, M.N., Skullerud, K., Duyckaerts, C., Cruz-Sanchez, F.F., Lantos, P.L., Patients with a novel neurofilamentopathy: dementia with neurofilament inclusions, 177
Camarda, C., see Monastero, R., 229
Camarda, L.K.C., see Monastero, R., 229
Camarda, R., see Monastero, R., 229
Cefalù, A.B., see Monastero, R., 229
Chang, C.F., see Sarabi, A., 241
Chen, Y., Lu, J., Zhang, Y., Pan, H., Wu, H., Xu, K., Liu, X., Jiang, Y., Bao, X., Zhou, J., Liu, W., Shi, G., Shen, Y., Wu, X., T-type calcium channel gene alpha (1G) is not associated with childhood absence epilepsy in the Chinese Han population, 29
Chetsawang, B., see Chucharoen, P., 259
Chiu, M.J., see Skrandies, W., 45
Christoffersen, G.R.J., Petersen, S., daCosta, N.M., Potentiation of prelimbic field potentials during and seconds after trains of excitations in the rat hippocampo-prefrontal pathway, 143
Chucharoen, P., Chetsawang, B., Srikiatkhachorn, A., Govitrapong, P., Melatonin receptor expression in rat cerebral artery, 259
Ciranna, L., Licata, F., Li Volsi, G., Santangelo, F., Role of $GABA_A$ and $GABA_B$ receptors in GABA-induced inhibition of rat red nucleus neurons, 221
Collins, A.R., see Whalley, L.J., 173
Cruz-Sanchez, F.F., see Cairns, N.J., 177
Curtis, J.T., Berkley, K.J., Wang, Z.X., Neuronal activation in the caudal brainstem associated with mating by voles, 115

Díaz-Ríos, M., see Wu, J.-S., 5
daCosta, N.M., see Christoffersen, G.R.J., 143
Dayanandan, R., see Ljungberg, M.C., 69
de Bode, S., see Lebib, R., 185
De Luca, I.M.S., see Medeiros, M.V., 103
De Nucci, G., see Medeiros, M.V., 103
Deary, I.J., see Whalley, L.J., 173
Deriu, F., see Podda, M.V., 209
Diehm, S.M., Witte, O.W., Bruehl, C., Differential alterations of the inactivation properties of high voltage activated calcium currents in area CA1 and CA3 of the rat following photothrombotic lesion, 147
Domoki, F., Sántha, P., Bari, F., Jancsó, G., Perineural capsaicin treatment attenuates reactive hyperaemia in the rat skin, 127

doi:10.1016/S0304-3940(03)00289-1

Duthie, S.J., see Whalley, L.J., 173
Duxon, M.S., see Smith, M.I., 256
Duyckaerts, C., see Cairns, N.J., 177

Elliott, J.A., see Yoon, I.-Y., 25
Enzmann, V., see Mack, A.F., 53

Farrer, M.J., see West, A.B., 139
Field-Fote, E.C., see Perez, M.A., 225
Flores, D.G., see Rosa, R.M., 217
Fujiyama, K., see Shen, H.-w., 170
Fukuuchi, Y., see Hattori, H., 9
Furuse, M., see Nakanishi, T., 135

Gómez, Y., see López, J.C., 197
Garssen, M.P.J., see Overeem, S., 13
Gebrewold, A., see Altura, B.M., 189
Geleijns, K., see Overeem, S., 13
Gendelman, H.E., see Xiong, H., 246
Germer, A., see Mack, A.F., 53
Gholipour, A.-F., see Müller, T., 201
Giaconi, E., see Podda, M.V., 209
Gieselberg, A., see Moser, A., 57
Giovannoni, G., see Pryce, G., 164
Gonzalez-de-Chavez, F., see West, A.B., 139
Gordon, N.S., Burke, S., Akil, H., Watson, S.J., Panksepp, J., Socially-induced brain 'fertilization': play promotes brain derived neurotrophic factor transcription in the amygdala and dorsolateral frontal cortex in juvenile rats, 17
Govitrapong, P., see Chucharoen, P., 259
Greenamyre, J.T., see Sherer, T.B., 87
Guan, J.-L., see Wang, Q.-P., 107
Guo-Ross, S.X., Jones, K.H., Shetty, A.K., Wilson, W.A., Swartzwelder, H.S., Prenatal dietary choline availability alters postnatal neurotoxic vulnerability in the adult rat, 161
Gwag, B.J., see Han, B.S., 99

Hamada, J., see Hattori, H., 9
Han, B.S., Noh, J.S., Gwag, B.J., Oh, Y.J., A distinct death mechanism is induced by 1-methyl-4-phenylpyridinium or by 6-hydroxydopamine in cultured rat cortical neurons: degradation and dephosphorylation of tau, 99
Haruta, M., see Akagi, T., 213
Hattori, H., Shibata, M., Sugaya, T., Hamada, J., Fukuuchi, Y., Delayed phosphorylation of p38 mitogen-activated protein kinase in the AT1a knock-out mouse striatal neurons during middle cerebral artery occlusion and reperfusion, 9
Heck, D., Borst, A., Antkowiak, B., Passive spatial and temporal integration of excitatory synaptic inputs in cerebellar Purkinje cells of young rats, 79
Henriques, J.A.P., see Rosa, R.M., 217
Herrmann, M., see Vollenweider, F., 49
Ho, Y.-J., see Pawlak, C.R., 205
Hoffer, B.J., see Sarabi, A., 241
Hoffmann, M.M., see Ljungberg, M.C., 69
Holton, J., see Cairns, N.J., 177
Honda, Y., see Akagi, T., 213
Hou, B., see Wu, M.-M., 84
Huettinger, M., see Ljungberg, M.C., 69
Hutter-Paier, B., see Windisch, M., 181

Ikemoto, M., see Li, A.-J., 41
Imamura, T., see Li, A.-J., 41
Imbimbo, B., see Windisch, M., 181
Inoue, H., see Yokota, C., 37
Ishikawa, K., see Kubodera, T., 74
Isojima, Y., see Tamaru, T., 111
Ivanova, S.Y., Storozhuk, M.V., Melnick, I.V., Kostyuk, P.G., Chronic treatment with ionotropic glutamate receptor antagonist kynurenate affects GABAergic synaptic transmission in rat hippocampal cell cultures, 61

Jacobs, B.C., see Overeem, S., 13
Jancsó, G., see Domoki, F., 127
Jaros, E., see Cairns, N.J., 177
Jerkovic, L., see Windisch, M., 181
Jiang, Y., see Chen, Y., 29
Jiao, X.-Y., see Wu, M.-M., 84
Jing, J., see Wu, J.-S., 5
Jones, K.H., see Guo-Ross, S.X., 161
Ju, G., see Wu, M.-M., 84

Kaneko, S., see Katsuki, H., 123
Kashiwagi, K., see Uchida, S., 1
Katsuki, H., Shibata, H., Takenaka, C., Kume, T., Kaneko, S., Akaike, A., *N*-Methyl-D-aspartate receptors contribute to the maintenance of dopaminergic neurons in rat midbrain slice cultures, 123
Kawahara, S., see Nakanishi, T., 135
Keller, C., see Moser, A., 57
Kim, J.-H., see Sherer, T.B., 87
Kito, G., see Yokota, C., 37
Komatsu, Y., see Ohmura, T., 95
Korhonen, T., see Wikgren, J., 119
Korshunova, T.A., see Bravarenko, N.I., 237
Kostyuk, P.G., see Ivanova, S.Y., 61
Koutoku, T., see Nakanishi, T., 135
Kripke, D.F., see Yoon, I.-Y., 25
Kubodera, T., Yokota, T., Ohwada, K., Ishikawa, K., Miura, H., Matsuoka, T., Mizusawa, H., Proteolytic cleavage and cellular toxicity of the human α1A calcium channel in spinocerebellar ataxia type 6, 74
Kuge, Y., see Yokota, C., 37
Kuhn, W., see Müller, T., 201
Kume, T., see Katsuki, H., 123
Kupfermann, I., see Wu, J.-S., 5
Kuroki, Y., see Nishio, M., 156

López, J.C., Gómez, Y., Vargas, J.P., Salas, C., Spatial reversal learning deficit after medial cortex lesion in turtles, 197
Lammers, G.J., see Overeem, S., 13
Lantos, P.L., see Cairns, N.J., 177
Lebib, R., Papo, D., de Bode, S., Baudonnière, P.-M., Evidence of a visual-to-auditory cross-modal sensory gating phenomenon as reflected by the human P50 event-related brain potential modulation, 185
Lemmon, H.A., see Whalley, L.J., 173
Li Volsi, G., see Ciranna, L., 221
Li, A.-J., Suzuki, M., Suzuki, S., Ikemoto, M., Imamura, T., Differential phosphorylation at serine sites in glutamate receptor-1 within neonatal rat hippocampus, 41
Li, Y.-Y., see Wu, M.-M., 84
Licata, F., see Ciranna, L., 221
Liu, W., see Chen, Y., 29
Liu, X., see Chen, Y., 29

Ljungberg, M.C., Asuni, A., Pearce, J., Dayanandan, R., März, W., Hoffmann, M.M., Bertrand, P., Siest, G., Rupniak, H.T.R., Anderton, B.H., Huettinger, M., Lovestone, S., Apolipoprotein E (apoE) uptake and distribution in mammalian cell lines is dependent upon source of apoE and can be monitored in living cells, 69
Lopez, G., see Monastero, R., 229
Lovestone, S., see Ljungberg, M.C., 69
Lowe, J.S., see Cairns, N.J., 177
Lu, J., see Chen, Y., 29
Lutz, T.A., see Barth, S.W., 131
Lutz, T.A., see Riediger, T., 151

März, W., see Ljungberg, M.C., 69
Müller, T., Büttner, T., Gholipour, A.-F., Kuhn, W., Coenzyme Q_{10} supplementation provides mild symptomatic benefit in patients with Parkinson's disease, 201
Mack, A.F., Uhlmann, D., Germer, A., Szél, Á, Enzmann, V., Reichenbach, A., Differentiation of cones in cultured rabbit retina: effects of retinal pigment epithelial cell-conditioned medium, 53
Malyshev, A.Y., see Bravarenko, N.I., 237
Mannino, M., see Monastero, R., 229
Maruyama, W., Weinstock, M., Youdim, M.B.H., Nagai, M., Naoi, M., Anti-apoptotic action of anti-Alzheimer drug, TV3326 [(*N*-propargyl)-(3*R*)-aminoindan-5-yl]-ethyl methyl carbamate, a novel cholinesterase-monoamine oxidase inhibitor, 233
Matsuoka, H., see Shen, H.-w., 170
Matsuoka, T., see Kubodera, T., 74
Mayka, M., see Aruin, A., 21
McCabe, L., see Xiong, H., 246
McFarland, D.J., see Cacace, A.T., 251
McKeith, I.G., see Cairns, N.J., 177
Medeiros, M.V., De Luca, I.M.S., Bricola, A.A.O., Zanesco, A., De Nucci, G., Antunes, E., Enhanced airways responsiveness in rats depleted of sensory neuropeptides by neonatal capsaicin treatment, 103
Melnick, I.V., see Ivanova, S.Y., 61
Milia, M., see Podda, M.V., 209
Miller, M.W., see Wu, J.-S., 5
Minematsu, K., see Yokota, C., 37
Ming, R., see Ohmura, T., 95
Miura, H., see Kubodera, T., 74
Miyake-Takagi, K., see Takagi, Y., 33
Mizusawa, H., see Kubodera, T., 74
Monaghan, D.T., see Xiong, H., 246
Monastero, R., Cefalù, A.B., Camarda, C., Buglino, C.M., Mannino, M., Barbagallo, C.M., Lopez, G., Camarda, L.K.C., Travali, S., Camarda, R., Averna, M.R., No association between Glu298Asp endothelial nitric oxide synthase polymorphism and Italian sporadic Alzheimer's disease, 229
Morales, M., see Sarabi, A., 241
Moser, A., Gieselberg, A., Ro, B., Keller, C., Qadri, F., Deep brain stimulation: response to neuronal high frequency stimulation is mediated through $GABA_A$ receptor activation in rats, 57
Murai, A., see Nakanishi, T., 135
Murray, A.D., see Whalley, L.J., 173

Nagai, K., see Tamaru, T., 111
Nagai, M., see Maruyama, W., 233
Nakanishi, T., Koutoku, T., Kawahara, S., Murai, A., Furuse, M., Dietary conjugated linoleic acid reduces cerebral prostaglandin E_2 in mice, 135
Naoi, M., see Maruyama, W., 233
Navratilova, E., see Smith, T.L., 91
Nishida, A., see Akagi, T., 213
Nishio, M., Kuroki, Y., Watanabe, Y., Role of hippocampal α_{2A}-adrenergic receptor in methamphetamine-induced hyperlocomotion in the mouse, 156
Nitsch, C., see Vollenweider, F., 49
Noh, J.S., see Han, B.S., 99
Numachi, Y., see Shen, H.-w., 170

O'Farrell, C., see West, A.B., 139
Oh, Y.J., see Han, B.S., 99
Ohmura, T., Ming, R., Yoshimura, Y., Komatsu, Y., Age and experience dependence of *N*-methyl-D-aspartate receptor-independent long-term potentiation in rat visual cortex, 95
Ohwada, K., see Kubodera, T., 74
Otori, Y., see Uchida, S., 1
Otten, U., see Vollenweider, F., 49
Overeem, S., Geleijns, K., Garssen, M.P.J., Jacobs, B.C., van Doorn, P.A., Lammers, G.J., Screening for anti-ganglioside antibodies in hypocretin-deficient human narcolepsy, 13

Pan, H., see Chen, Y., 29
Panksepp, J., see Gordon, N.S., 17
Papo, D., see Lebib, R., 185
Pawlak, C.R., Ho, Y.-J., Schwarting, R.K.W., Bauhofer, A., Relationship between striatal levels of interleukin-2 mRNA and plus-maze behaviour in the rat, 205
Pearce, J., see Ljungberg, M.C., 69
Perez, M.A., Field-Fote, E.C., Impaired posture-dependent modulation of disynaptic reciprocal Ia inhibition in individuals with incomplete spinal cord injury, 225
Perry, R.H., see Cairns, N.J., 177
Petersen, S., see Christoffersen, G.R.J., 143
Piper, D.C., see Smith, M.I., 256
Podda, M.V., Deriu, F., Giaconi, E., Milia, M., Tolu, E., Melatonin inhibits rat medial vestibular nucleus neuron activity in vitro, 209
Pryce, G., Giovannoni, G., Baker, D., Mifepristone or inhibition of 11β-hydroxylase activity potentiates the sedating effects of the cannabinoid receptor-1 agonist Δ(9)-tetrahydrocannabinol in mice, 164

Qadri, F., see Moser, A., 57

Rechkemmer, G., see Barth, S.W., 131
Reichenbach, A., see Mack, A.F., 53
Reste, G., see Steiner, A.A., 193
Riediger, T., see Barth, S.W., 131
Riediger, T., Traebert, M., Schmid, H.A., Scheel, C., Lutz, T.A., Scharrer, E., Site-specific effects of ghrelin on the neuronal activity in the hypothalamic arcuate nucleus, 151
Ro, B., see Moser, A., 57
Roesler, R., see Rosa, R.M., 217
Rosa, R.M., Flores, D.G., Appelt, H.R., Braga, A.L., Henriques, J.A.P., Roesler, R., Facilitation of long-term object recognition memory by pretraining administration of diphenyl diselenide in mice, 217
Rossor, M.N., see Cairns, N.J., 177
Rupniak, H.T.R., see Ljungberg, M.C., 69
Ruusuvirta, T., see Wikgren, J., 119

Sántha, P., see Domoki, F., 127
Sakuragawa, N., see Uchida, S., 1
Salas, C., see López, J.C., 197
Santangelo, F., see Ciranna, L., 221

Sarabi, A., Chang, C.F., Wang, Y., Tomac, A.C., Hoffer, B.J., Morales, M., Differential expression of the cell line-derived neurotrophic factor (GDNF) receptor GFRα1 in heterozygous Gfrα1 null-mutant mice after stroke, 241
Sato, M., see Shen, H.-w., 170
Scharrer, E., see Riediger, T., 151
Scheel, C., see Riediger, T., 151
Schmid, H.A., see Riediger, T., 151
Schwarting, R.K.W., see Pawlak, C.R., 205
Shen, H.-w., Numachi, Y., Yoshida, S., Fujiyama, K., Toda, S., Awata, S., Matsuoka, H., Sato, M., Electroconvulsive shock increases serotonin transporter in the rat frontal cortex, 170
Shen, Y., see Chen, Y., 29
Sherer, T.B., Betarbet, R., Kim, J.-H., Greenamyre, J.T., Selective microglial activation in the rat rotenone model of Parkinson's disease, 87
Shetty, A.K., see Guo-Ross, S.X., 161
Shi, G., see Chen, Y., 29
Shibata, H., see Katsuki, H., 123
Shibata, M., see Hattori, H., 9
Shioda, S., see Wang, Q.-P., 107
Shiratori, T., see Aruin, A., 21
Siest, G., see Ljungberg, M.C., 69
Skifter, D., see Xiong, H., 246
Skrandies, W., Chiu, M.J., Dimensions of affective semantic meaning — behavioral and evoked potential correlates in Chinese subjects, 45
Skullerud, K., see Cairns, N.J., 177
Smith, M.I., Piper, D.C., Duxon, M.S., Upton, N., Evidence implicating a role for orexin-1 receptor modulation of paradoxical sleep in the rat, 256
Smith, T.L., Navratilova, E., The effect of ethanol exposure on mitogen-activated protein kinase activity and expression in cultured rat astrocytes, 91
Srikiatkhachorn, A., see Chucharoen, P., 259
Staff, R.T., see Whalley, L.J., 173
Starr, J.M., see Whalley, L.J., 173
Steiner, A.A., Reste, G., Branco, L.G.S., Role of the brain heme oxygenase-carbon monoxide pathway in stress fever in rats, 193
Storozhuk, M.V., see Ivanova, S.Y., 61
Sugaya, T., see Hattori, H., 9
Susumu, T., see Yokota, C., 37
Suzuki, M., see Li, A.-J., 41
Suzuki, S., see Li, A.-J., 41
Suzuki, Y., see Uchida, S., 1
Swartzwelder, H.S., see Guo-Ross, S.X., 161
Szél, Á., see Mack, A.F., 53

Tagaya, M., see Yokota, C., 37
Takagi, N., see Takagi, Y., 33
Takagi, Y., Takagi, N., Besshoh, S., Miyake-Takagi, K., Takeo, S., Transient global ischemia enhances phosphorylation of the GluR1 subunit of the α-amino-3-hydroxy-5-methylisoxazole-4-propionate receptor in the hippocampal CA1 region in rats, 33
Takahashi, M., see Akagi, T., 213
Takamatsu, K., see Tamaru, T., 111
Takenaka, C., see Katsuki, H., 123
Takeo, S., see Takagi, Y., 33
Tamaki, N., see Yokota, C., 37
Tamaru, T., Isojima, Y., Nagai, K., Takamatsu, K., Circadian expression of hnRNP U, a nuclear multi-potent regulatory protein, in the murine suprachiasmatic nucleus, 111
Toda, S., see Shen, H.-w., 170
Tolu, E., see Podda, M.V., 209
Tomac, A.C., see Sarabi, A., 241
Traebert, M., see Riediger, T., 151
Travali, S., see Monastero, R., 229

Uchida, S., Suzuki, Y., Araie, M., Kashiwagi, K., Otori, Y., Sakuragawa, N., Factors secreted by human amniotic epithelial cells promote the survival of rat retinal ganglion cells, 1
Uhlmann, D., see Mack, A.F., 53
Upton, N., see Smith, M.I., 256

van Doorn, P.A., see Overeem, S., 13
van Luijtelaar, G., The effects of diazepam on sensory gating in healthy volunteers, 65
Vargas, J.P., see López, J.C., 197
Villetti, G., see Windisch, M., 181
Vollenweider, F., Herrmann, M., Otten, U., Nitsch, C., Interleukin-6 receptor expression and localization after transient global ischemia in gerbil hippocampus, 49

Waller, B., see Brodie, E.E., 167
Wang, Q.-P., Zadina, J.E., Guan, J.-L., Shioda, S., Morphological evidence of endomorphin as an agonist for the mu-opioid receptor in the rat spinal cord, 107
Wang, Y., see Sarabi, A., 241
Wang, Z.X., see Curtis, J.T., 115
Watanabe, Y., see Nishio, M., 156
Watson, S.J., see Gordon, N.S., 17
Weinstock, M., see Maruyama, W., 233
Weiss, K.R., see Wu, J.-S., 5
West, A.B., Gonzalez-de-Chavez, F., Wilkes, K., O'Farrell, C., Farrer, M.J., Parkin is not regulated by the unfolded protein response in human neuroblastoma cells, 139
Whalley, L.J., Staff, R.T., Murray, A.D., Duthie, S.J., Collins, A.R., Lemmon, H.A., Starr, J.M., Deary, I.J., Plasma vitamin C, cholesterol and homocysteine are associated with grey matter volume determined by MRI in non-demented old people, 173
Whyte, A., see Brodie, E.E., 167
Wikgren, J., Ruusuvirta, T., Korhonen, T., Activity in the rabbit somatosensory cortex reflects the active procedural memory trace of a classically conditioned eyeblink response, 119
Wilkes, K., see West, A.B., 139
Wilson, W.A., see Guo-Ross, S.X., 161
Windisch, M., Hutter-Paier, B., Jerkovic, L., Imbimbo, B., Villetti, G., The protective effect of ganstigmine against amyloid beta$_{25-35}$ neurotoxicity on chicken cortical neurons is independent from the cholinesterase inhibition, 181
Witte, O.W., see Diehm, S.M., 147
Wu, H., see Chen, Y., 29
Wu, J.-S., Jing, J., Díaz-Ríos, M., Miller, M.W., Kupfermann, I., Weiss, K.R., Identification of a GABA-containing cerebral-buccal interneuron-11 in *Aplysia californica*, 5
Wu, M.-M., You, S.-W., Hou, B., Jiao, X.-Y., Li, Y.-Y., Ju, G., Effects of inosine on axonal regeneration of axotomized retinal ganglion cells in adult rats, 84
Wu, X., see Chen, Y., 29

Xiong, H., McCabe, L., Skifter, D., Monaghan, D.T., Gendelman, H.E., Activation of NR1a/NR2B receptors by monocyte-derived macrophage secretory products: implications for human immunodeficiency virus type one-associated dementia, 246
Xu, K., see Chen, Y., 29

Yokota, C., Kuge, Y., Inoue, H., Tagaya, M., Kito, G., Susumu, T., Tamaki, N., Minematsu, K., Post-ischemic cyclooxygenase-2 expression is regulated by the extent of cerebral blood flow reduction in non-human primates, 37
Yokota, T., see Kubodera, T., 74
Yoon, I.-Y., Kripke, D.F., Elliott, J.A., Youngstedt, S.D., Luteinizing hormone following light exposure in healthy young men, 25
Yoshida, S., see Shen, H.-w., 170
Yoshimura, Y., see Ohmura, T., 95
You, S.-W., see Wu, M.-M., 84
Youdim, M.B.H., see Maruyama, W., 233
Youngstedt, S.D., see Yoon, I.-Y., 25

Zadina, J.E., see Wang, Q.-P., 107
Zanesco, A., see Medeiros, M.V., 103
Zhang, A., see Altura, B.M., 189
Zhang, Y., see Chen, Y., 29
Zhou, J., see Chen, Y., 29